
NIH Stroke Scale Certification



2020




The NIH Stroke Scale is a program developed by the National Institute of Health and available at NO COST




To get started

Search: NIHSS – English



HAWAI'I PACIFIC HEALTH PALI MOMI

Click on NIHSS English




assessment tool that provides a quantitative measure of stroke-related neurologic deficit. The NIHSS was originally designed as a research tool to measure baseline data on patients in acute stroke clinical trials. Now, the scale is also widely used as a clinical assessment tool to evaluate acuity of stroke patients, determine appropriate treatment, and predict patient outcome. The NIHSS can be used as a clinical stroke assessment tool to evaluate and document neurological status in acute stroke patients. The stroke scale is valid for predicting lesion size and can serve as a measure of stroke severity. The NIHSS has been shown to be a predictor of both short and long term outcome of stroke patients. Additionally, the stroke scale serves as a data collection tool for planning patient care and provides a common language for information exchanges among healthcare providers. The scale is designed to be a simple, valid, and reliable tool that can be administered at the bedside consistently by physicians, nurses or

"The NIHSS is a 15-item neurologic examination stroke scale used to evaluate the effect of acute cerebral infarction on the levels of consciousness, language, neglect, visual-field loss, extraocular movement, motor strength, ataxia, dysarthria, and sensory loss. A trained observer rates the patent's ability to answer questions and perform activities. Ratings for each item are scored with 3 to 5 grades with 0 as normal, and there is an allowance for untestable items. The single patient assessment requires less than 10 minutes to complete. The evaluation of stroke severity depends upon the ability of the observer to accurately and consistently assess the patient."



Register or Login (if previously set up)



Enter Email Address

NIHSS English			Login Regist
			3
		email address to find out if you are ly a member. Registration FAQ	
	Ema	ail 🗌	
	Confir	m Re-enter the email ac	
		Verify	


Provide information to register

	Email	youremail@	gaddress.com		
	Confirm				
Prefix	Select one	•	Institution	Place of employment	
FIGUA	Select one	-	msutuuon	Flace of employment	
First Name	John		Role	Title	
Last Name	Smith		Industry	Select one	•
Address	1234 Street Rd.		Country	United States	•
			City		
Area Code	512		State / Area	Alabama	•
Phone Number	1234567		Zip / Postal Code		

Verify Password Re-enter the passworc	Password	8-15 alpha-numeric ch
Pava	Verify Password	Re-enter the passworc
Save	Si	ave



Click on "My Activities"



8

Click "Enroll Now" to begin

NOWIE SORS ACTIVITIE NIHSS English			Home	My Activities	My Profile	Sign Out	Kristi Sakai 🔟
	Assigned	Available 10					
Assigned							
NINDS-000- NIH Stroke Scale - English - Instructions and Training	AUTHOR: NIH-NINDS	Contains the instruction	s and self tr	aining			
Available							
NINDS-001- NIH Stroke Scale - English - Certification A	AUTHOR: NIH-NINDS	: Contains tests group A.	Only need t	to take one test, goo	d for up to 2 years, to	certify.	Enroll Now
NINDS-002- NIH Stroke Scale - English - Certification B	AUTHOR: NIH-NINDS	: Contains tests group B.	Only need t	to take one test, goo	d for up to 2 years, to	certify.	Enroll Now
NINDS-003- NIH Stroke Scale - English - Certification C	AUTHOR: NIH-NINDS	Contains tests group C.	Only need	to take one test, goo	d for up to 2 years, to	certify.	Enroll Now
NINDS-004- NIH Stroke Scale - English - Certification D	AUTHOR: NIH-NINDS	: Contains tests group D.	Only need	to take one test, goo	d for up to 2 years, to	certify.	Enroll Now
NINDS-005- NIH Stroke Scale - English - Certification E	AUTHOR: NIH-NINDS	Contains tests group E.	Only need t	to take one test, goo	d for up to 2 years, to	certify.	Enroll Now
NINDS-006- NIH Stroke Scale - English - Certification F	AUTHOR: NIH-NINDS	Contains tests group F.	Only need t	to take one test, goo	d for up to 2 years, to o	certify.	Enroll Now
NINDS-007- NIH Stroke Scale - English - Certification G	AUTHOR NIH-NINDS	Contains tests group G. C	Only need to	o take one test good	for up to 2 years to ce	rtify.	Enroll Now
NINDS-008- NIH Stroke Scale - English - Certification H	AUTHOR NIH-NINDS	Contains tests group H. C	Only need to	take one test good	for up to 2 years to ce	rtify.	Enroll Now
NINDS-009- NIH Stroke Scale - English - Certification I	AUTHOR NIH-NINDS	Contains tests group I. O	only need to	take one test good f	or up to 2 years to cert	ify.	Enroll Now
NINDS-010- NIH Stroke Scale - English - Certification J	AUTHOR NIH-NINDS	Contains tests group J. C	Only need to	take one test good t	for up to 2 years to cer	tify.	Enroll Now



Click on Certification A.....

NOW DESIDE ACTIVITINE. NIHSS English	Home My Activities My Profile Sign Out
	Assigned 2 Available 9
Assigned	
NINDS-000- NIH Stroke Scale - English - Instructions and Train	AUTHOR: NIH-NINDS: Contains the instructions and self training
NINDS-001- NIH Stroke Scale - English - Certification A	AUTHOR: NIH-NINDS: Contains tests group A. Only need to take one test, good for up to 2 years, to certify.



CREATING A HEALTHIER HAWAI'I

10


Complete All Patient Scenario Tests 1-6

WITHE SKAK ACTIVITIEE IN I HI S S In glish	Home My Activities My Profile Sign Out Kristi Sakai
2- NIHSS-Englise Jup A-V3 - 1st (Certification
Sections Patient 1	Material 4-HTML- Answer the question items below after viewing the video.
Level of Consciousness LOC Questions LOC Commands	Material 4-FLASH- OPTION VIDEO
Best Gaze Visual Facial Palsy Motor Arms Motor Legs Limb Ataxia	 2. Best Gaze: Only horizontal eye movements will be tested. Voluntary or reflexive (oculocephalic) eye movements will be scored but caloric testing is not done. If the patient has a conjugate deviation of the eyes that can be overcome by voluntary or
Sensory Best Language Dysarthria Extinction and Inattention (formerly Neglect)	reflexive activity, the score will be 1. If a patient has a conjugate donated or paresis (CN III, IV or VI) score a 1. Gaze is testable in all aphasic patients. Patients with ocular trauma, bandages, pre-existing blindness or other disorder of visual acuity or fields should be tested with reflexive movements and a choice made by the investigator. Establishing eye contact and then moving about the patient from side to side will occasionally clarify the presence of a partial gaze palsy.
Patient 2 Patient 3	O = Normal
Patient 4 Patient 5	1 = Partial gaze palsy. This score is given when gaze is abnormal in one or both eyes, but where forced deviation or total gaze paresis are not present
Patient 6	O 2 = Forced deviation, or total gaze paresis not overcome by the oculocephalic maneuver





Print your Certificate You are certified for 2 years Your CME/CEs are reflected on your certificate



- Mobile Access Available
- You can access via your mobile device at
- <u>www.NIHSS.com</u> or <u>www.NIHStrokeScale.org</u>





0