## **COVID-19 Volunteer Training**

Volunteer Services



To minimize the impact of COVID-19 in our medical centers, it is important that we protect the health and safety of everyone. In this module you will review:

- Infection Control
  - Hand Hygiene
- COVID-19
  - Facts
- COVID-19 Requirements
  - Masks
  - Eye Protection
  - Personal Protective Equipment (PPE)
  - Direct Patient Care
  - Social Distancing
- Volunteer Responsibilities
  - Dress code



# Infection Control



## Handwashing

 80% of infectious diseases are spread by touch. Protect yourself, our patients, and our staff.

#### Proper handwashing includes:

- Wet hands and wrists under warm water, hands angled downward.
- Lather hands with soap, scrubbing the front and back of hands, wrists, between fingers, under nails and rings, around cuticles.
- Scrub hands for a minimum of 20 seconds.
  - It is friction that removes germs.

- Rinse well.
- Use disposable towels to dry.

\*Always wash hands before and after volunteer shift.



#### Alcohol-Based Hand Sanitizer

- Hand sanitizer is not a replacement for handwashing with soap and water.
  - Wash your hands if they are visibly soiled.
- Gloves are not a substitute for hand hygiene.
  - Always clean your hands when removing gloves as well.
- Hand sanitizer dispensers available throughout the hospital.
  - Use before and after interacting with patients/picking up items from patients room/public areas.


\*Hands should stay wet for around 20 seconds if you used the right amount of sanitizer.



#### Alcohol-Based Hand Sanitizer:

 When washing your hands, be sure to clean in the commonly missed areas below.







#### Please

- Cover your sneeze and cough with a tissue (then dispose immediately) or into your upper sleeve.
- Wash your hands immediately after. If you do not have access to soap and water, use a 60% alcohol based hand sanitizer.



## COVID-19



## **Know Your Risk For Severe Illness**

Everyone is at risk of getting COVID-19.

Older adults and people of any age who have serious underlying medical conditions may be at higher risk for more severe illness.



### Facts About COVID-19

- You can become infected by coming into close contact (about 6 feet or two arm lengths) with a person who has COVID-19. COVID-19 is primarily spread from person to person.
- You can become infected from respiratory droplets when an infected person coughs, sneezes, or talks.
- You may also be able to get it by touching a surface or object that has the virus on it, and then by touching your mouth, nose, or eyes.
- Symptoms can range from mild to severe illness, and appear 2-14 days after you are exposed to the virus that causes COVID-19.



## COVID-19 Requirements



#### Face Mask

- ONE fabric face mask will be provided to volunteers upon start date.
  - Volunteers must abide by new safety rules/regulations.
  - Face masks are required while on duty and when visiting the facility.
  - If face mask is forgotten/lost, a disposable mask will be provided. (However, please be responsible and be sure to have your mask at all times.)

Volunteers will not be allowed to volunteer without a facemask.

\*Please inquire with Volunteer Office should any questions/concerns arise regarding face mask policy.



#### Masks with valves are not allowed







## **Eye Protection**

- Eye Protection (Goggles/Face Shields) will be required contingent on the volunteer's assignment within the facility.
  - It should be close fitting especially at the eyebrow.
  - It must wrap around the sides of the face to cover the eyes.
- Personal eyeglasses do not meet these criteria and do not provide the protection to keep you safe.
  - HPH will provide eye protection for these circumstances.

Please wear the appropriate PPE for your safety and the safety of those around you.




## PPE (Personal Protective Equipment)


- In addition to face masks and shields, PPEs will be required for certain areas within the facility.
- Please follow all restrictions and guidelines requested by the department.
- PPEs include:
  - Gowns
  - Gloves
  - Face shields
  - Face masks
- PPE must be worn if you may come into contact with any bodily substances or chemical hazards.



# Minimum Safety Measures to Stay COVID-Free While Providing Direct Patient Care











## Social Distancing

- HPH is dedicated to keeping all volunteers, staff, patients, and the community safe to the best of our abilities.
  - In addition to face masks and appropriate PPE gear, social distancing will also be implemented.

#### Social Distancing

- Please remain at least 6 feet apart from others.
- Refrain from walking in groups.
- Refrain from catching the elevator with 4+ people.
- Refrain from lingering in enclosed areas (i.e. work stations, offices, dining room, etc.).



## Be a Responsible Volunteer.

If you show any signs below, please stay home and call your physician.

Symptoms of COVID-19 include

- Fever or chills
- Cough
- Shortness of breath or difficult breathing
- Fatigue
- Muscle or body aches
- Headache

- Loss of taste or smell
- Sore throat
- Congestion or runny nose
- Nausea or vomiting
- Diarrhea



## Be Vigilant

- Be sure to wash your hands for 20 seconds with warm water

   especially after being in public spaces, blowing your nose, coughing, or sneezing.
- If there is no access to soap and water, please use a hand sanitizer that contains at least 60% alcohol.
  - Hand sanitizer dispensaries provided in most areas of facilities.
- Avoid touching your eyes, nose, and mouth.



## Be Vigilant (continued..)

- Wear face masks at all times:
  - Be sure face mask is correctly fitted on face covering nose and mouth.
  - Do not remove facemask to speak.
  - Do not remove facemask when sneezing/coughing.
- If masks are not worn (i.e. while eating), sneezing and coughing should be done:
  - Into shoulder
  - Into tissue (should be discarded immediately)
- Wipe down commonly used areas with appropriate disinfectant wipes.



### **COVID-19 Vaccine**

- Why should you be vaccinated for COVID-19?
  - Evidence indicates that getting a COVID-19 vaccine can prevent you from getting seriously ill from COVID-19. It can also help protect people around you, particularly those at increased risk for severe illness from COVID-19.
- CDC recommends you get a COVID-19 vaccine as soon as one is available to you.
- Volunteers who choose to return to the medical centers at this time must be vaccinated.
- Volunteers electing not to take the COVID-19 vaccine will be asked to take a leave of absence from the program until a return date is determined.



## Influenza Vaccination

- The "flu" vaccination shot is a requirement for all volunteers at all facilities -- Pali Momi, Straub, Kapi'olani medical centers on O'ahu; and Wilcox on Kaua'i.
- Volunteers electing not to take the flu shot will be asked to take a leave of absence (LOA) from the program until the end of flu season (to be determined).
- Should there be any questions, please contact:
- Oʻahu:
  - Volunteer Office: (808)983-6333
  - Employee Health: (808)529-4905
- Kaua'i:
  - Volunteer Office: (808)245-1143



# Volunteer Responsibilities



### **Dress Code**

- Uniform requirements remain unchanged and includes:
- ID Badge:
  - The volunteer I.D. badge must be worn at all times while volunteering for security purposes.
  - For vaccinated volunteers, COVID stickers will be distributed as shown in photo.
- Face masks must be worn at all times when entering, exiting, and throughout the medical centers.



## Please call the Employee Health office if:

- You have been in contact with someone diagnosed with COVID-19.
- You have traveled within the past 14 days.
- You have questions regarding returning from upcoming travel plans.
- You would like to make an appointment. (Please do not walk-in.)

Any questions/concerns, please notify the Volunteer Office or Employee Health General Line: 529-4905



Thank you. You have completed the COVID-19 training for returning volunteers. Please refer to email for additional instructions.

