

Ordering Guide for Lung Cancer Screening

Please refer to the chart for lung screening follow-up guidance*:

Lung-RADS	Order	Due
0-Incomplete	IMG1812 CT LUNG FOLLOWUP WITHOUT CONTRAST (LUNG SCREENING PROGRAM) if additional LDCT images recommended For any other recommendation, order as instructed	1-3 months, or as recommended As recommended
1-Negative	IMG1449 CT LUNG SCREENING (LOW DOSE) WITHOUT CONTRAST	1 year
2-Benign		
3-Probably Benign	IMG1812 CT LUNG FOLLOWUP WITHOUT CONTRAST (LUNG SCREENING PROGRAM)	6 months
4A-Suspicious	IMG1812 CT LUNG FOLLOWUP WITHOUT CONTRAST (LUNG SCREENING PROGRAM)	3 months
	PET/CT if recommended	Now
	Consider Pulmonology referral	Now
4B/4X-Very Suspicious	Pulmonology referral recommended to determine follow-up plan	Now
	Diagnostic CT Chest if recommended**	Now
	PET/CT if recommended	Now
	Biopsy (tissue sampling) if recommended***	Now

*These examples are intended for informational purposes only and should not substitute for consulting with a qualified clinician.

**Clinician to decide on specific order. IMG2023 CT CHEST WITHOUT CONTRAST is an example of an appropriate standard dose (non-low dose) exam.

***Pulmonology or Interventional Radiology consultation for biopsy.